

No. **10B-12B**

15.880 mm & 19.050 mm PITCH,



Single - Type B 10B, 15.880 mm Pitch Nominal = 9.71 mm

| Part No. | No. of Teeth | Pitch Diameter | Bore | | Hub | | Wgt. Kgs. |
|----------|--------------|----------------|-------|-----|------|--------|-----------|
| | | | Stock | Max | Dia. | L.T.B. | |
| 10B11H | 11 | 56.35 | 12 | 25 | 37 | 25 | 0.27 |
| 10B12H | 12 | 61.34 | 12 | 32 | 43 | 25 | 0.32 |
| 10B13H | 13 | 66.33 | 12 | 33 | 48 | 25 | 0.36 |
| 10B14H | 14 | 71.34 | 12 | 36 | 53 | 25 | 0.45 |
| 10B15H | 15 | 76.36 | 12 | 38 | 57 | 25 | 0.59 |
| 10B16H | 16 | 81.37 | 12 | 44 | 63 | 25 | 0.68 |
| 10B17H | 17 | 86.39 | 12 | 47 | 67 | 25 | 0.82 |
| 10B18H | 18 | 91.42 | 12 | 48 | 73 | 25 | 0.91 |
| 10B19H | 19 | 96.45 | 12 | 51 | 76 | 25 | 1.04 |
| 10B20H | 20 | 101.48 | 16 | 51 | 76 | 25 | 1.13 |
| 10B21H | 21 | 106.51 | 16 | 51 | 76 | 25 | 1.18 |
| 10B22H | 22 | 111.55 | 16 | 51 | 76 | 25 | 1.27 |
| 10B23H | 23 | 116.59 | 16 | 51 | 76 | 25 | 1.45 |
| 10B24H | 24 | 121.62 | 16 | 51 | 76 | 32 | 1.50 |
| 10B25H | 25 | 126.66 | 16 | 51 | 76 | 32 | 1.59 |

Single - Type B 12B, 19.050 mm Pitch Nominal = 11.10 mm

| Part No. | No. of Teeth | Pitch Diameter | Bore | | Hub | | Wgt. Kgs. |
|----------|--------------|----------------|-------|-----|------|--------|-----------|
| | | | Stock | Max | Dia. | L.T.B. | |
| 12B11H | 11 | 67.62 | 12 | 32 | 47 | 35 | 0.53 |
| 12B12H | 12 | 73.60 | 12 | 35 | 53 | 35 | 0.67 |
| 12B13H | 13 | 79.60 | 12 | 38 | 59 | 35 | 0.75 |
| 12B14H | 14 | 85.61 | 12 | 42 | 64 | 35 | 0.91 |
| 12B15H | 15 | 91.63 | 12 | 45 | 70 | 35 | 1.14 |
| 12B16H | 16 | 97.65 | 16 | 50 | 75 | 35 | 1.27 |
| 12B17H | 17 | 103.67 | 16 | 52 | 80 | 35 | 1.46 |
| 12B18H | 18 | 109.71 | 16 | 52 | 80 | 35 | 1.69 |
| 12B19H | 19 | 115.74 | 16 | 60 | 90 | 35 | 1.78 |
| 12B20H | 20 | 121.78 | 16 | 64 | 90 | 35 | 2.10 |
| 12B21H | 21 | 127.82 | 20 | 64 | 100 | 40 | 2.27 |
| 12B22H | 22 | 133.86 | 20 | 64 | 100 | 40 | 2.38 |
| 12B23H | 23 | 139.90 | 20 | 67 | 100 | 40 | 2.49 |
| 12B24H | 24 | 145.95 | 20 | 67 | 100 | 40 | 2.62 |
| 12B25H | 25 | 151.99 | 20 | 67 | 100 | 40 | 2.78 |

Maximum bores shown will accommodate standard keyseat & setscrew over keyseat. Slightly larger bores are possible with no keyseat, shallow keyseat, or setscrew at an angle to keyseat.