

No. D **35**

3/8 PITCH, NOMINAL 0.126"

**Double - Type B**

between the teeth = 0.561"

Part No.	No. of	Diameters		Bore		Hub		Wgt.
	Teeth	Outside	Pitch	Stock	Max	Dia.	L.T.B.	Lbs.
D35B12H	12	1.630	1.449	1/2	9/16	63/64	1 1/4	0.32
D35B13H	13	1.750	1.567	1/2	11/16	1 7/64	1 1/4	0.36
D35B14H	14	1.870	1.685	1/2	7/8	1 1/4	1 1/4	0.44
D35B15H	15	1.990	1.804	1/2	15/16	1 13/32	1 1/4	0.56
D35B16H	16	2.110	1.922	1/2	15/16	1 15/32	1 1/4	0.64
D35B17H	17	2.230	2.041	1/2	1 1/16	1 19/32	1 1/4	0.74
D35B18H	18	2.350	2.159	1/2	1 3/16	1 23/32	1 1/4	0.84
D35B19H	19	2.470	2.278	1/2	1 5/16	1 7/8	1 1/4	0.96
D35B20H	20	2.590	2.397	3/4	1 5/16	1 15/16	1 3/8	1.08
D35B21H	21	2.710	2.516	3/4	1 3/8	2 1/16	1 3/8	1.24
D35B22H	22	2.830	2.635	3/4	1 7/16	2 3/16	1 3/8	1.42
D35B23H	23	2.950	2.754	3/4	1 1/2	2 1/4	1 3/8	1.54
D35B24H	24	3.070	2.873	3/4	1 1/2	2 1/4	1 3/8	1.62
D35B25H	25	3.190	2.992	3/4	1 1/2	2 1/4	1 3/8	1.66
D35B26H	26	3.310	3.111	3/4	1 3/4	2 1/4	1 3/8	1.98
D35B30H	30	3.790	3.588	3/4	1 3/4	2 1/4	1 3/8	2.34
D35B36H	36	4.510	4.303	3/4	1 3/4	2 1/4	1 3/8	3.00
D35B42H	42	5.230	5.018	3/4	1 3/4	2 1/4	1 3/8	3.80
D35B48H	48	5.950	5.734	3/4	1 3/4	2 1/4	1 3/8	4.66
D35B52	52	6.540	6.224	3/4	1 3/4	2 1/4	1 3/8	5.40
D35B60	60	7.380	7.165	3/4	1 3/4	2 1/4	1 3/8	6.84
D35B72	72	8.810	8.597	3/4	2 3/8	3 1/2	1 1/2	11.04
D35B76	76	8.920	8.752	3/4	2 3/8	3 1/2	1 1/2	11.94
D35B84	84	10.250	10.029	3/4	2 3/8	3 1/2	1 1/2	14.98

Maximum bores shown will accommodate standard keyseat & setscrew over Keyseat. Slightly larger bores are possible with no keyseat, shallow keyseat, or setscrew at an angle to keyseat.

